

**United Township High School
1275 Avenue of the Cities
East Moline, IL 61244**

Request for Quotes for Parking Lot Patch & Repair Work

United Township High School, District #30, 1275 Avenue of the Cities, East Moline, Illinois is requesting quotes for parking lot crack filling and patch and repair work.

Quote specifications are available in the Administrative Office. Questions are to be directed to Curt Pratt, Director of Facilities at (309) 752-1620.

Quotes are to be sealed and delivered to the Administrative Office before 1:30 PM local prevailing time on Thursday, May 10th, 2018. The quote envelope shall be sealed and marked "Parking Lot." Quotes shall include a lump sum to complete the project, written on company letterhead and signed by an officer of the company.

The quote shall meet or exceed all specifications. The contractor certifies that he or she has read and meets the standards set forth in the specifications. United Township High School reserves the right to reject any or all bids and waive any irregularities.

Labor cost for this project must adhere to the Illinois Prevailing Wage Law (820 ILCS 130/IETSEQ). If during the course of this project the Illinois Department of Labor revises the prevailing rate hourly wages to be paid on this project for any trade or occupation, it is the responsibility of the contractor to change any rate of wages to be paid to each of their workers.

Companies interested in reviewing the project site should contact Mr. Pratt at the phone number listed above or via e-mail at cpratt@uths.net.

Parking Lot Crack Filling and Patching Specifications 2018

1. Crack filling 10,000 linear feet in drive and parking lot areas as shown on attached plan.
 - a. On cracks 1/8" wide or wider if any vegetation is present in the crack, it must be removed by approved methods prior to applying any crack fill.
 - b. Cracks shall be cleaned by blowing with compressed air. Routing of cracks is not required.
 - c. Fill cracks to flush with adjacent surface. Squeegee off any excess material using a "V" or "U" shaped squeegee designed for crack work.
 - d. Material shall be a hot pour type filler designed for use with asphalt parking lots such as Crafcro Roadsave 221 or approved equal.
 - e. Material shall be pressure applied from a movable jacketed crack machine specifically designed for this type of application.
2. Asphalt repairs of approximately 500 square feet in 5 marked locations in drive and parking lot areas. Total perimeter for saw cutting of 5 areas is 186 linear feet.
 - a. Saw cut and remove marked deteriorated asphalt areas.
 - b. Re-compact the base then tack prime the vertical edges.
 - c. Install 3" thick compacted State of Illinois Specification hot mix grade asphalt and provide asphalt plant receipts.
 - d. If the area being replaced is in excess of three inches (3") thick material shall be replaced in multiple lifts not exceeding 3" in thickness.
 - e. Patched areas must maintain existing drainage slopes.
 - f. Care shall be taken as not to creating ponding within the patched area. This will not be acceptable and reconstruction of the patch will be at the contractor's expense.
 - g. The contractor shall clean up and remove all debris generated as a result of this project and leave the site in a neat and orderly condition.
3. General Conditions
 - a. Work may begin Monday, June 11th, 2018 and must be complete by July 17th, 2018.
 - b. The Contractor must submit a certified copy of payroll for this project with pay request.
 - c. Every person employed to perform work of the School must have a fingerprint based investigation. The fingerprint based investigation is to be done by the Rock Island County Regional Office of Education, 3430 Avenue of the Cities, Moline, IL 61265. Contractors may call that office at (309) 736-1111 to verify the required procedures.
 - d. Quotes are due in the Administrative Offices at 1:30 PM local prevailing time on Thursday, May 10th, 2018.